

SP26 1 in 10 Weather Adjustment Methodology

Electricity Committee Workshop March 21, 2005

Tom Gorin
Demand Analysis Office



Reasons for updating SP26 factor

Concerns about reserve margin in ISO southern California control area (SP 26) declining

Previous adjustment (5.8%) was estimated in 1999 as response to the 1998 west wide heat storm

Previous adjustment methodology focused on peak coincident with total WECC

A more recent history of loads and temperatures were available for analysis

Desire for a more transparent methodology to account for extreme weather events



Peak/Temperature Relationship

- Relationship was developed for SCE and SDG&E separately
- 2003 FERC 714 hourly demand data
- NOAA weather data
- Daily Peak: 6/15 9/15 weekday afternoons (1-6 p.m.)



Temperature Definition

3-day weighted maximum temperature

631 max = .6 (max current day) + .3 (max day-1) + .1 (max day-2)



Weather Stations


SDG&E	SCE			
Lindbergh Field	Fresno FAT	Long Beach LGB	Burbank Pump Plant	Riverside Fire Station
100%	6.2%	32.4%	24.3%	37.1%

Weighting is based on relative residential a/c saturation within service territory.

All stations have weather history back to 1950.




2003 SCE 6/15-9/15 weekday afternoon peaks vs 631 maxtemp



Note: temperatures limited to values over 75 degrees




2003 SDG&E 6/15-9/15 weekday afternoon peaks vs 631 maxtemp



Note: temperatures limited to values above 70 degrees



2003 SCE and SDG&E 6/15-9/15 weekday afternoon peaks vs 631 maxtemp





Annual Peak Weather Variation


Daily peak loads were calculated using actual weather (1950-2003) and service area specific equations.

Weekend temperatures were included in historic calculations to account for random nature of weather

Annual peak for each historic year is assumed to be coincident with highest combined temperature calculations




annual maximum 6/15-9/15 temperatures by service area






annual maximum 6/15-9/15 temperatures rank ordered by service area






SCE peak variability based on 1950-2003 weather years and 2003 temperature response





SDG&E peak variability based on 1950-2003 weather years and 2003 temperature response





SCE+SDG&E 2003 peak variability based on 1950-2003 weather years

